Main Street Lumber
Main Street Millwork

Interior Doors

In Stock and Quick Ship

Main Street Lumber
Main Street Millwork

(903) 465-5388 MainStreetCompanies.com

Main Street Lumber
Main Street Millwork

Interior Molded Panel Doors Solid or Hollow

NEW INTERIOR MOLDED DOOR

LIVINGSTON™



The Livingston™ door instantly transforms any interior with a unique profile that is universally appealing. Set yourself apart by selecting the only molded door designed to make a lasting statement.

- Unique, versatile and timeless design perfect for any style of home
- Authentic recessed panel adds a hint of rich detailing
- Clean, three-panel equal poised to replace traditional six-panel doors

"Homeowners want doors that are current, and that they can **LIVE WITH FOR A LONG TIME.** I see both with the Livingston."
– Kate Rumson, Founder, The Real Houses of Instagram

300 Pros and Consumers were surveyed

9 Door designs tested

70% Postitive Feedback

MASONITE.
Open to extraordinary.

Main Street Lumber
Main Street Millwork

Interior Molded Panel Doors Solid or Hollow

Time Tested Classic and Traditional Styling

2 Panel Square W/Raised Panels

2 Panel Roman W/Raised Panels

2 Panel Cheyenne W/Raised Panels

6 Panel Square W/Raised Panels

Clean and Simple - Great for a Modern or Shaker Style

Lincoln Park W/Flat Panel & Beveled Edge

Logan W/Flat Panels & Beveled Edges

Winslow W/Flat Panels & Beveled Edges

Livingston W/Flat Panel Step Down Mld

Riverside W/Raised Panels

Main Street Lumber
Main Street Millwork

Interior Solid Stile and Rail Doors

Primed Wood/MDF Shaker Style Doors

1 Panel Flat
Wood/MDF

2 Panel Flat
Wood/MDF

3 Equal Panel Flat
Wood/MDF

3 Panel Shaker
Wood/MDF

5 Equal Panel Flat
Wood/MDF

Stainable Clear Pine Interior Doors

2 Panel Arch Top
W/Raised Panels
Clear Pine

2 Panel Square
W/Flat Panels
Clear Pine

2 Panel Square
W/Raised Panels
Clear Pine

5 Equal Panel
W/Flat Panels
Clear Pine

6 Panel Colonial
W/Raised Panels
Clear Pine

Main Street Lumber
Main Street Millwork

Interior Solid Stile and Rail Doors Continued . .

White Oak Shaker Style Doors

1 Lite Open for Glass White Oak

2 Panel Flat White Oak

3 Equal Panel Flat White Oak

5 Panel Flat White Oak

Knotty Alder Interior Raised Panel Doors

2 Panel Square Plain Raised Panels Knotty Alder 8-0 Shown

2 Panel Square V-Grooved Raised Panels Knotty Alder 8-0 Shown

2 Panel Arch Plain Raised Panels Knotty Alder 8-0 Shown

2 Panel Arch V-Grooved Raised Panels Knotty Alder 6-8 Shown

Main Street Lumber
Main Street Millwork

Interior Solid Stile and Rail Doors Continued . .

Hemlock/Fir Shaker Style Doors



720 Shaker
3/8" FP
1'6", 2'0", 2'4",
2'6", 2'8",
3'0" x 6'8"
1'6", 2'0", 2'4",
2'6", 2'8",
3'0" x 8'0"



9320 Shaker
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



782 Shaker
3/8" FP
1'6", 2'0", 2'4",
2'6", 2'8",
3'0" x 6'8"
1'6", 2'0", 2'4",
2'6", 2'8",
3'0" x 8'0"



9382 Shaker
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



730 Shaker
3/8" FP
1'6", 2'0", 2'4",
2'6", 2'8",
3'0" x 6'8"



9330 Shaker
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"



760 Shaker
3/8" FP
1'6", 2'0", 2'4",
2'6", 2'8",
3'0" x 6'8"



9360 Shaker
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"



755 Shaker
3/8" FP
1'6", 2'0", 2'4",
2'6", 2'8",
3'0" x 6'8"
1'6", 2'0", 2'4",
2'6", 2'8",
3'0" x 8'0"



9355 Shaker
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"

Main Street Lumber
Main Street Millwork

Interior Solid Stile and Rail Doors Continued . .

Rustic Knotty Pine Interior Doors

2 Panel Arch Top Raised Panel Knotty Pine



2 Panel Arch Top Raised Panel V-Grooved Knotty Pine

2 Panel Square Top Flat Panel V-Grooved Knotty Pine



4 Panel Square Top Raised Panel Knotty Pine

6 Panel Square Top Raised Panel Knotty Pine

True Louvered Interior Doors

Louver-Louver Plantation Style Primed Pine

Louver-Louver Clear Pine

Louver-Panel Clear Pine

Louvered doors are great for ventilation.

Please note that the Primed Plantation style has larger louvers.

Main Street Lumber
Main Street Millwork

Interior Solid Stile and Rail Barn Doors

Primed Wood and Rustic Knotty Alder Barn Doors

Choose from primed wood or knotty alder. ⟶

Basic Barn
Primed Wood

Basic Barn
Stainable Knotty
Alder

Example of a twin knotty alder barn door with the “K” pattern

Pick your basic door and we will add any of these design patterns.



2 PANEL
BASIC BARN



K PATTERN



HALF X



FULL X



DOUBLE X



HALF Z



FULL Z



DOUBLE Z

Barn Door Hardware

STRAIGHT STRAP

BENT STRAP

TOP MOUNT ROLLER

SOFT CLOSE ADAPTER KIT

HANDLE TRADITIONAL

HANDLE ROD

ULTRA HARDWARE

BYPASS BRACKET

Installers Note:
For door openings up to 36” wide, it is best to use the 78-3/4” kits, while for door openings up to 46” wide, the 96” kits are suggested. Wider openings using double doors will require two kits along with a joiner plate.

TRACK JOINER KIT

MORTISE FLOOR GUIDE

Hardware Color Options


BLACK

SATIN NICKEL

STAINLESS STEEL


BRONZE

FLAT RAIL STOPS BLACK

Main Street Lumber
Main Street Millwork

Interior Stile and Rail French Doors - Pine

Interior Clear Pine French Doors

CLEAR PINE PANTRY
2-0x6-8x1-3/8 ONLY (4RU)

1 LITE

5 LITE

6 LITE

10 LITE

12 LITE

15 LITE

18 LITE

Note - 1 Lite doors are available in single glazed clear tempered or frosted glass. All others are single glazed clear tempered glass.

Note - See size and availability chart below.

Clear Pine French Door

SIZE	THICKNESS	1 LITE	1 LITE FROSTED	5 LITE	6 LITE	10 LITE	12 LITE	15 LITE	18 LITE
1-6x6-8	1-3/8"	-	CFA	BA1	-	-	-	-	-
2-0x6-8	1-3/8"	BB8	CFB	-	-	BA2	-	-	-
2-4x6-8	1-3/8"	-	CFC	-	-	-	-	-	-
2-6x6-8	1-3/8"	BB9	CFD	-	-	-	-	BA3	-
2-8x6-8	1-3/8"	BA6	CFE	-	-	-	-	BA4	-
3-0x6-8	1-3/8"	BA7	CFF	-	-	-	-	BA5	-
1-6x8-0	1-3/8"	-	CFH	-	1NA	-	-	-	-
2-0x8-0	1-3/8"	1NP	CFI	-	-	-	1NB	-	-
2-4x8-0	1-3/8"	-	CFJ	-	-	-	-	-	-
2-6x8-0	1-3/8"	1NS	CFK	-	-	-	-	-	1NC
2-8x8-0	1-3/8"	1NF	CFL	-	-	-	-	-	1ND
3-0x8-0	1-3/8"	1NG	CFM	-	-	-	-	-	1NE

Main Street Lumber
Main Street Millwork

Interior Stile and Rail French Doors - Primed

Interior Primed Wood French Doors

Note - See size and availability chart for size and glass type availability.

1 LITE

5 LITE

10 LITE

12 LITE

15 LITE

Primed French Door

SIZE	THICKNESS	1 LITE	5 LITE	10 LITE	12 LITE	15 LITE	18 LITE
1-6x6-8	1-3/8"	-	BA8	-	-	-	-
2-0x6-8	1-3/8"	BAC	-	BA9	-	-	-
2-6x6-8	1-3/8"	BAE	-	-	-	BB1	-
2-8x6-8	1-3/8"	BAG	-	-	-	BB4	-
3-0x6-8	1-3/8"	BAJ	-	-	-	BB3	-
2-0x8-0	1-3/8"	BAD	-	-	BAA	-	-
2-6x8-0	1-3/8"	BAF	-	-	-	-	BAB
2-8x8-0	1-3/8"	BAH	-	-	-	-	-
3-0x8-0	1-3/8"	BAK	-	-	-	-	-

Primed Doors Make Painting Easy!

18 LITE

Square Edge Sticking Shaker Style Doors

Primed Shaker Style French Door

SIZE	THICKNESS	5 LITE CLEAR	5 LITE FROSTED	6 LITE CLEAR	6 LITE FROSTED
2-0x6-8	1-3/8"	3AS	3BC	-	-
2-4x6-8	1-3/8"	3AT	3BD	-	-
2-6x6-8	1-3/8"	3AU	3BE	-	-
2-8x6-8	1-3/8"	3AV	3BF	-	-
3-0x6-8	1-3/8"	3AW	3BG	-	-
2-0x8-0	1-3/8"	-	-	3AX	3BH
2-4x8-0	1-3/8"	-	-	3AY	3BI
2-6x8-0	1-3/8"	-	-	3AZ	3BJ
2-8x8-0	1-3/8"	-	-	3BA	3BK
3-0x8-0	1-3/8"	-	-	3BB	3BL

Note - 5 Lite and 6 Lite doors are available in single glazed clear tempered or frosted glass. All others are single glazed clear tempered glass.

5 LITE

6 LITE

Main Street Lumber
Main Street Millwork

Interior Stile and Rail Hemlock Doors

Full View 1-3/4” Hemlock Doors - Single Glazed Tempered

1-¾” thick Hemlock Doors offer a heavier feel and are great for staining or painting.

Full View 1 Lite Single Glazed Hemlock

Hemlock Doors

SIZE	THICKNESS	1 LITE S/G CLEAR
2-0x6-8	1-3/4"	-
2-4x6-8	1-3/4"	-
2-6x6-8	1-3/4"	-
2-8x6-8	1-3/4"	HLL
3-0x6-8	1-3/4"	HLN
2-0x8-0	1-3/4"	-
2-4x8-0	1-3/4"	-
2-6x8-0	1-3/4"	-
2-8x8-0	1-3/4"	HLM
3-0x8-0	1-3/4"	HLP

PANTRY

Frosted and Etched Pantry Doors

PANTRY CLOSE UP

Hemlock Pantry

SIZE	THICKNESS	CODE
2-0x6-8	1-3/8"	HLQ
2-4x6-8	1-3/8"	HLR
2-6x6-8	1-3/8"	HLS
2-8x6-8	1-3/8"	HLT
2-0x8-0	1-3/8"	HLU
2-4x8-0	1-3/8"	HLV

Interior Stile and Rail Pantry and Laundry Doors

1-3/8” Pantry and Laundry - Frosted and Etched

1590
Hemlock
Pantry
2’0”, 2’4”,
2’6”
x 6’8”

1590 (8’0”)
Hemlock
Pantry with
3/4” RP
2’0”, 2’4”,
2’6” x 8’0”

1593
Hemlock
Laundry with
3/4” RP
2’8”, 3’0” x 6’8”

Note - These doors are also available in White Pine.

1590
Knotty
Alder
Pantry
2’0”, 2’4”,
2’6” x 6’8”

1593
Knotty
Alder
Laundry with
3/4” RP
2’8”, 3’0” x 6’8”

HOT INTERIOR DOOR TRENDS

PRIMED SHAKER STYLE MDF & FRENCH DOORS

Main Street Lumber
Main Street Millwork

New Primed MDF 3 Panel and Primed French Doors have the true shaker style with 90-degree square edges.

Primed MDF Shaker 3 Panel has a full product offering of 6'8" and 8'0" doors plus 1-3/4" 20-min fire rated doors.

Primed Shaker French Doors are available in 6'8" and 8'0" with options for 5 lite or 6 lite with frosted glass.

MASONITE
Open to extraordinary.

Main Street Lumber

Main Street Millwork

230 E. Main Street - Denison, Texas 75021
(903) 465-5388 - www.MainStreetCompanies.com